





# **BERGMANN DUMPERS**

Where power has tradition.

### Hans-Hermann Bergmann about the Bergmann dumper range

"For more than 60 years, our family business has been successfully working in close cooperation with our customers. We start the journey of supporting you with logging the transport tasks, and subsequently develop ideal vehicles under consideration of legal and societal framework conditions. We are down-to earth, reliable, approach our work with expertise and great passion to create long-term values for our customers and our company. We have set ourselves the task to always meet our customer's requirements. For this reason, in addition to our comprehensive portfolio of universal devices, we can offer you specifically adapted special machines with up to 25 tons of transport capacity."



"What you can also rely on: The vehicles in our dumper range combine high transport performance and user-friendly drive comfort with maximum operational safety. Which is just what you would expect from real Bergmann premium quality 'made in Germany."

Hans-Hermann Bergmann Managing Director







## The world is changing. So are we.

What started in a small garage in 1960, is now the home of many bright minds, who understood early that today's products shape the future of tomorrow.













	C805	C807	C810	
Payload	4,500 kg	6,000 kg	9,000 kg	
Empty weight	3,450 kg	4,900 kg	6,100 kg	
Level loading capacity	1.9 m <sup>3</sup>	2.5 m <sup>3</sup>	3.6 m <sup>3</sup>	
Heaped loading capacity	2.6 m <sup>3</sup>	3.6 m <sup>3</sup>	4.6 m <sup>3</sup>	
Passage clearance without rotating beacon	2,765 mm	2,950 mm	3,050 mm	
Motor power	53 kW	55 kW	75 kW	











C815 RK	C912 RK	C828	
12,000 kg	10,000 kg	25,000 kg	
11,500 kg	14,850 kg	19,250 kg	
6.3 m <sup>3</sup>	$4.7 \text{ m}^3$	-	
8.0 m <sup>3</sup>	6.5 m <sup>3</sup>	15.0 m <sup>3</sup>	
3,028 mm	3,050 mm	3,353 mm	
123 kW	186 kW	186 kW	



#### For small and medium-sized construction sites

Bergmann has been the leading supplier in the compact dumper segment for generations, and offers no less than three compact dumper models with the C805s, C807s and C810s. Their uniting feature: The dumper's compact dimensions provide maximum flexibility at small and medium-sized construction sites. The newly developed driver's platform ensures an unobstructed view onto the work area across the short rear. The ROPS roll bar of the 805s enhances safety, and the full cabin of the 807s and 810s improves traveling comfort even on rough terrain and in adverse weather conditions. All three vehicle models are equipped with Stage V motors, which are low in consumption and emissions. The Bergmann C807s is – alternatively to the round skip – also available with three-sided tilting flatbed.

# **COMPACT DUMPER**

up to 9 tons payload

Nimble and space-saving













Payload	4,500 kg	6,000 kg	9,000 kg
Level loading capacity	1.9 m <sup>3</sup>	2.5 m <sup>3</sup>	3.6 m <sup>3</sup>
Heaped loading capacity	2.6 m <sup>3</sup>	3.6 m <sup>3</sup>	4.6 m <sup>3</sup>
Overall length	4,256 mm	5,008 mm	5,399 mm
Overall width	1,800 mm	2,043 mm	2,420 mm
Passage clearance without rotating beacon	2,765 mm	2,950 mm	3,050 mm
Motor power	53 kW	55 kW	75 kW
Empty weight	3,450 kg	4,900 kg	6,100 kg







# WHEEL DUMPER

up to 12 tons payload

## Powerful and flexible



## **Tail dumper**

Payload	12,000 kg
Level loading capacity	5.0 m <sup>3</sup>
Heaped loading capacity	8.0 m <sup>3</sup>
Overall length	6,834 mm
Overall width	2,505 mm
Passage clearance without rotating beacon	3,028 mm
Motor power	123 kW
Empty weight	10,500 kg





## **Round dumper**

Payload	12,000 kg
Level loading capacity	6.3 m <sup>3</sup>
Heaped loading capacity	8.0 m³
Overall length	7,129 mm
Overall width	2,500 mm
Passage clearance without rotating beacon	3,028 mm
Motor power	123 kW
Empty weight	11,500 kg



## **Three-way dumper**

12,000 kg
4.2 m <sup>3</sup>
8.0 m <sup>3</sup>
7,593 mm
2,541 mm
3,028 mm
123 kW
11,250 kg

## The right equipment for each application

The wheel dumper C815s shows that efficient operation, mobility on any terrain, traveling comfort and safety go very well together. It confidently meets everyday challenges at the construction site. The C815s provides optimum conditions to drivers for focused working. The rotating operator's platform (optional) ensures the best overview at the front and back. The indoor space of the air-conditioned driver's cabin impresses with high-quality features.







# WHEEL DUMPER XL



up to 25 tons payload

# Robust and safe

Payload	25,000 kg
Heaped loading capacity	15.0 m <sup>3</sup>
Overall length	9,316 mm
Overall width	2,870 mm
Passage clearance	3,353 mm
Motor power	186 kW
Empty weight	19,250 kg





The C828s comes into its full potential for tunnel construction projects and in quarries.



The vehicle's low center of gravity ensures particularly high stability.

## Simple design. Impressive power.

Whether it is for tunnel construction projects, in the quarry, in infrastructure construction or demolition – the robust Bergmann dumper C828s is a real workhorse. The articulated 2-axis vehicle impresses with a 260 HP-strong machine and high payload. Its rotating driver's platform enables speeds of 40 km/h forward and 35 km/h backward with the best view – and thus safety – for the driver.







## Strong on any terrain

The tracked dumper C912s is very reliable even on rough terrain. The power pack on a track scores with high transport performance, and it has low emission, is economical in its use and provides maximum safety. Two hydrostatic drive trains with always full capacity, optimum weight distribution in each load condition and the hydraulic parking brake for a guaranteed safe stop even on extreme inclines make almost any terrain accessible. The distribution of the weight along the tracks also significantly reduces the ground pressure, thus going easy on the ground.



The C912s moves, safely, swiftly and easily even on challenging terrain.

# TRACKED DUMPER

up to 10 tons payload



# Mobile on any terrain and economical





## **Tail dumper**

10,000 kg
4.7 m <sup>3</sup>
6.5 m <sup>3</sup>
5,963 mm
2,900 mm
3,050 mm
186 kW
14,250 kg

## **Round dumper**

Payload	10,000 kg
Level loading capacity	4.7 m <sup>3</sup>
Heaped loading capacity	6.5 m <sup>3</sup>
Overall length	6,246 mm
Overall width	2,900 mm
Passage clearance without rotating beacon	3,050 mm
Motor power	186 kW
Empty weight	14,850 kg


























# THE DUMPER EXPERTS

# Customer-focused, competent, reliable: the Bergmann dumper

With a dumper from Bergmann, you are choosing a strong partnership from which you will benefit in the long term: with regard to service, quality and performance.

#### **Know-how since 1960**

With more than 60 years experience, we are pioneers in the compact dumper segment.

#### First grade quality

High-grade, durable quality "Made in Germany" comes as standard for us.

#### Strong network

We have a comprehensive dealer network and our own rental stock for compact and large machines in Germany.

#### **Down-to-earth family business**

In Lower Saxony Meppen in Germany, Hans-Hermann Bergmann manages the company Bergmann in its second generation.

#### International service

You can find us all over the world with our sales and service partners.

#### Reliable partnership

Approachable and reliable: We support you for any project.



## **LEARN MORE?**

Contact us. We will be pleased to advise you personally.

Dealer stamp:

www.bergmann-dumper.de



